PART NO. HARDIN 11 Industry Dr. Palm Coast, FL 32137 MARINE 386-445-2500 / FAX 386-445-1122

625-7731/ 625-7732


TITI F:

HORIZONTAL OIL FILTER ASSEMBLY

www.hardin-marine.com

625-7731 HAS POLISHED BRACKET AND HEAD. 625-7732 HAS BLACK BRACKET AND HEAD.

	ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
	1	625-7757	BRKT, HORIZONTAL	1
	2	625-7650	HEAD, FILTER	1
	3	625-2021	PIPE PLUG, 1/8 NPT	1
	4	625-2035	PIPE PLUG, 3/4 NPT	1
	5	625-7802	ADAPTER, HP4	1
	6	625-7803	ADAPTER, HP6	1
	7	90037C100SHS	BOLT, SHCS, 3/8-16x1.00	4
	8	90037C175SHS	BOLT,SHCS, 3/8-16 x 1-3/4	3
	9	90037AN-STSS	Washer, 3/8 an	7
	10	625-7754	BUSHING, HEAD MOUNT BRACKETS	3



INSTALLATION INSTRUCTIONS:

- 1) FILTER HEAD HAS (2)3/4 NPT INLETS TO AID IN PLUMBING. SUPPLIED IS 625-2035 PIPE PLUG TO PLUG OFF INLET THAT IS NOT BEING USED.
- 2) FILTER HEAD AS HAS 1/8 NPT PORT THAT CAN BE USED FOR PRESSURE GAUGE OR FOR VALVE SPRING OILERS. SUPPLIED IS 625-2021 PIPE PLUG IF YOU DO NOT NEED THIS PORT.
- 3) 625-7757 BRACKET CAN BE MOUNTED EITHER PORT OR STARBOARD AND FRONT OR BACK, FIG.A SHOWS THE BRACKET HAS 8 MOUNTING HOLES SO HEAD CAN BE ROTATED EVERY 45 DEGREES.
- 4) MOUNT HEAD TO BRACKET USING BLUE LOCTITE ON THE 3/8-16 x 1" BOLTS MOUNTING BOLTS. TORUE TO 30 FT. LBS...
- 5) INSTALL 625-7754 SPACERS BETWEEN CYLINDER HEAD AND BRACKET, FIG. B. MOUNT BRACKET TO CYLINDER HEAD USING BLUE LOCTITE ON THE 3/8-16 x 1-3/4 BOLTS MOUNTING BOLTS. TORUE TO 30 FT. LBS..
- 6) FILTER HEAD IS SUPPLIED WITH 625-7802 HP4 AND 625-7803 HP6 FILTER ADAPTERS. INSTALL ADAPTER INTO THE FILTER HEAD USING BLUE LOCTITE, TORQUE TO 50 FT. LBS...


HARDIN
MARINE
11 Industry Dr. Palm Coast, FL 32137
386-445-2500 / FAX 386-445-1122


PART NO. 625-7731/ 625-7732

TITLE:

HORIZONTAL OIL FILTER HEAD

www.hardin-marine.com





HARDIN
MARINE
11 Industry Dr. Palm Coast, FL 32137
386-445-2500 / FAX 386-445-1122

PART NO. 625-7731/ 625-7732

TITLE:

HORIZONTAL OIL FILTER HEAD INSTALLED WITH TUBE STYLE OIL COOLER

www.hardin-marine.com

